Section 1

JAP. RED MAPLE RHODODENDRON HYBRIDS ANDROMEDA

LINERS

PINK DOGWOOD MAGNOLIA

VIBURNUM

ILEX (Holly) TAXUS (Yew)

Section 2

FIELD GROWN PLANTS -PLANT MART ANDSCAPING

Magnolia Pink Dogwood Jap. Red Maple Azalea

RHODODENDRON HYBS. Over 50 varieties - From 1 - 3 Ft.

FALL 1958 . SPRING 1959 WHOLESALE

BURY KOSE 6, INC. WESTBURY, L.I., N.Y.

EDgewood 4-1100

WESTBURY, N. Y. PERMIT No. 5 PAID

J. S. POSTAGE

BULK RATE

(Rt. 25) 1000 ft. East of Northern STATE Parkway (Bridge). Westbury, L.I., N.Y. OCATION: Jericho Turnpike

NORTHERN GROWN STOCK - (ON OWN ROOT)

RHODODENDRON ANDROMEDA

PINK DOGWOOD JAP. RED MAPLE AZALEA

MAGNOLIA

CHEYENNE HORTICULTURAL FIELD ST P O BOX 1250 CHEYENNE WYO

GORDONIA

CYPRESS JUNIPER

Form 3547 - Requested

Superior Liners

GROWING BETTER ROOTS SINCE 1918

This list offers you the BEST VALUE in quality plants—with the best root system—for better results.

Long ago, we gave up grafting. Our plants are on their OWN —not on borrowed ROOTS.

Our proprietory "Chemurgic" processes and Mechanical Innovations produce BETTER ROOTS and STURDY TOPS.

We are strictly wholesale growers.

"A NURSERYMAN'S NURSERY."

SECT. 1. contains our offering of Liners for bedding out, also potted liners for row planting. Seek our advice on Lining out Rhododendrons. We offer 40 years of experience in this field. We annually produce 100,000 cutting grown Rhododendron Named Hybrids in over 200 Varieties, also our own crosses of Choicest Rhododendron Seedlings.

SECT. II. offers field grown plants for retail sales, also bedded

plants for setting in rows and counter-trade.

Due to popular demand for larger stock—we have lined out 75,000 Rhododendron Named Hybrids—in addition to a large assortment of other choice plants—over the last 4 years—many of which are offered herein.

Light-but safe-yet reasonable packing, enable us to ship

NATION-WIDE.

Door-to-door, enclosed truck delivery can be arranged—at low rates.

A one price policy is maintained — but, large orders earn QUANTITY DISCOUNT.

This list is our only representative. Since we have no agents or salesmen, we deal "directly and correctly" with our customers.

On substantial orders: PHONE "Person to Person—for VAN"
EDgewood 4-1100. Phone charge will be credited to your account.

Visit us when nearby—it's worthwhile . . . no obligation.

Order early to assure choice of varieties. Your valued orders will have our prompt attention.

WESTBURY ROSE CO. INC.

SECTION I

Lining-Out Stock

FALL 1958 • SPRING 1959

KEY:

BR — Bare Root
C — Cutting
F — Flat Grown

P - From Pots (a)

S — SeedlingT — Times Transplanted

(*) — Available FALL, as well as SPRING (a)—Subject to deposit (Refundable) on Truck Deliveries and Pick-up orders.

RATES: BELOW under "RATES: Section | Liners."

WHOLESALE TERMS AND CONDITIONS

This list cancels all previous lists, order proposals and quotations. All orders are accepted, subject to prior sale. PRICES: (Net) F. O. B. Westbury, N. Y. (subject to change without notice). Section I (Liners) each at 100 rate and Section II (Field Material) each per 10 and 100 rates—being quoted.

RATES: Section I (Liners)—100 RATE: (One variety and size) 25—
potted material; 50—flatted material; Rhododendron (Own Root)
Transplants: 20 at 100 rate—except where noted. 1000 RATE:
250 (one variety and size). When 1000 rate is earned deduct
10% from listed price. (Exceptions: as individually noted.)
NOTE: Potted Material—When 100 rate is not earned, no less
than 5 of one variety and size, adding 20% to listed price

(subject to seller's approval). RATES: Section II—See Section II.-Field Stock.

PAYMENT: Reasonable down payment with order and balance due on delivery (unless otherwise arranged). INVOICES: Net Cash. CERTIFICATE: Federal and State furnished.

SHIPPING: At cost and risk of purchaser (mode and destination at seller's descretion, unless otherwise instructed).

PACKING: Section I (Liners). Express and P. Post, etc.—5% (min. \$1). Packing our specialty. PACKING: Section II (Field Stock) See—Section II. GENERAL: All orders are accepted subject to prior sale, crop yield and to seller's final approval.

Japanese Maple

BLOOD RED (True) ACER PALMATUM ATROPURPUREUM (Selected Strain)

CUTTING GROWN - No Graft Weaknesses

Cuttings taken from our own STOCK PLANTS which are most BRILLIANT (not dull) RED the entire season. Strong rooted and heavy stemmed plants are produced yearly by the thousands with our Special Methods.

	STRO	ONG LINERS EACH		H AT (R	ATE)
			100	1,000	10,000
1st year	6-8"	21/2"P	\$.50	\$.45	\$.40
*2nd year	8-10"	21/2"P	.70	.60	.55
"Clay Pots"	8-10"	31/2"P	.90	.80	
""Plastic Pots"	10-12"	4"P	1.10	1.00	
FIELD GROV	NN RED	MAPLES -	- See SECT	ION II	

ABELIA - Glossy Abelia

Each at 100 Rate - GRANDIFLORA. Beautiful pale pink

flowers all summer. Glossy green foliage.20

ALBIZZIA (Mimosa) - JUL. ROSEA. Hardy-pink Mimosa...... 20 21/2"P* 2 Yr. .35

ANDROMEDA (PIERIS)—Jap. Andromeda Each at 100 Rate - JAPONICA COMPACTA. (Multiple of

50). A lovely selected, compact form. Dense, uniform habit of growth with wavy rich green foliage. Profuse 3-5" TF bloomer—very hardy. (2 yr.) 4-6" TF*

- FLORIBUNDA. Compact, hardy form. Each at 100 Rate White flowers in spring. (Multiples of 1 yr. TFS* .18

FIELD GROWN ANDROMEDA — See SECTION II. ARBORVITAE - See THUJA - Sections I & II.

AZALEAS

STRONG - BUSHY - TRANSPLANTS - CUTTING GROWN (Order in Multiples of 50 - 50 at 100 rate; 250 one variety and size at 1000 rate. 4-6" TF. AMOENA. Very hardy-Cerise-Evergreen ...

BOND STREET. Spectacular double scarlet-red evergreen Azalea .20 .16 CORAL BELLS. Evergreen-Hose-in-hose pink... DOUBLE HINODEGIRI. Reliable red. Same habit as Hinodegiri, but having hose-in-hose flowers..... .16 FEDORA. Rose-pink, extra large flowering Kaempferi hybrid. Evergreen. .16

GLORY. Salmon-pink; excellent habit20 HEXE. Hose-in-hose crimson-red. Evergreen...... .16

AZALEAS Continued

Each at 100 I	late
HINOCRIMSON. One of the best evergreen Azaleas for foundation planting. Dense, compact intense crimson HINODEGIRI. Old reliable red. In great demand for	.18
colorful plantings. Foliage always cheerful, presenting a good appearance thruout the year	.16

HINOMAYO. Pure mallow-pink. Taller than other members of this group. Evergreen	.16
KAEMPFERI. Tall growng—brilliant orange and red shades. Evergreen	.16
KATHLEEN. Rosy-red Kaempferi	.16
LEDIFOLIA ALBA. Large, pure white flowers. Velvety green foliage. Evergreen.	.16
LOUISE GABLE. One of the most beautiful hardy Azaleas for these parts. When in bloom compares favorably with the tender Indica Azaleas. Large double salmon pink	.18
J. T. LOVETT. Late blooming, large flowering pink. Spreading habit. Evergreen.	.16
MACRANTHA. Large late pink flowers. Glossy foliage	.16
MACRANTHA BRILLIANT. Large scarlet-red flowers with glossy foliage.	.20
MALVATICA HYBRID. A stockier Kaempferi type. Orange and red flowers	.16
MAXWELLI. Large, intense cerise red. Good habit	16
ORANGE BEAUTY. Orange-red form of Hinodegiri	.20
PALESTRINA. Large flowering, pure white-hardy	.16
PICADORE. Orange-red; upright habit	.16
PINK PEARL. Lovely soft pink, hose-in-hose. Evergreen	.16
POUKHANENSIS. Hardy lavender Korean Azalea	.16
ROSE BUD. Beautiful brilliant pink double flowers. When first opening, resemble miniature roses	18
ROSE GREELY. White, hose-in-hose	.20
SALMON BEAUTY. Brilliant large salmon-pink, hose-in-hose	.16
SALMON BELLS. Soft Salmon, hose-in-hose	.20
YODOGAWA. Large, double purple	.16

FIELD GROWN AZALEAS - See SECTION II.

* AZALEA SEEDLINGS

Heavy Seedings - Transplants - 1 Yr. TF(S). Order in Multiples of 50 - 50 at 100 rate; 250 one variety at 1000

\$.18 EA. AT 100 RATE

EXBURY HYBRIDS. Glorified Ghent hybrid. Cream - orange - red

JAPONICA. Large flowering orange and red.

KAEMPFERI. Tall growing-brilliant orange and red shades. Semievergreen. KNAPHILL HYBRIDS.

Improved Ghent hybrids-large trusses. Cream-orange-red shades.

MOLLIS. Large orange and red. Very hardy; will tolerate great range in soils.

MOLLIS X JAPONICA HYBRIDS. Best of both species.

MUCRONULATUM (Lavender). One of the earliest to bloom with its countless Lavender flowers in bloom with forsythia. MUCRONULATUM (Pink). A pink form-new color in this early

SCHLIPPENBACHI. Immense pink flowers; vigorous habit.

FIELD GROWN AZALEAS-See SECTION II.

flowering species.

	en Barberry Each at 100 Rate			
- CHENAULTI. An improved Verruculosa	4-6"	21/2"P	\$.25	
- IIIIANAE A good reliable evergreen		-/-		
 JULIANAE. A good reliable evergreen Barberry. Ideal for specimen or hedge 	4-6"	21/2"P	\$.25	
plantings	6-8"	21/2"P*	.35	
- VERRUCULOSA. Compact evergreen	4-6"	21/2"P	.25	
CHAMAECYPARIS (Ret		•		
TIME I TON Heldeles of	E0 E0	at 100		
Flatted material (TBR) Multiples of rate. (Potted 25 at 100 rate); 250 at	1000 -) al 100		
- CYANO VIRDIS. One of the bluest ever-	1000			
greens. Very hardy	4-6"	21/2"P	.30	
- OBTUSA CRIPPSI. Best golden ever-				
green for these parts	4-6"	21/2"P	.30	
- OBTUSA GRACILIS. Very interesting				
dwarf evergreen with graceful habit	4-6"	21/2"P	.30	
- OBTUSA NANA COMPACTA. Dwarf Hin-				
oki Cypress	3-5"	21/2"P	.30	
- PISIFERA. Long slender thread-like branches of vivid green	6-8"	TBR	.15	
branches of vivid green	2 Yr.	TBR*	,20	
AUREA. Fast growing golden form	6-8"	TBR	.15 .20	
	2 Yr. 6-8"	TBR*	.15	
FILIFERA. Green, fountain-like; dense	2 Yr.	TBR*	.20	
to the ground	6-8"		.20	
as Filifera	2 Yr.	TBR*	.25	
PLUMOSA. Feathery, dark green	6-8"		.15	
foliage	2 Yr.	TBR*	.20	
foliage	6-8"	TBR	.15	
vellow growth	2 yr.		.20	
LUTESCENS. Dwarf evergreen with	3-5"	TRD	.15	
yellow foliage	2 Yr.		.20	
yellow foliage	6-8"	TBR	.15	
green color makes it very popular	2 Yr.	TBR*	.20	
FIELD GROWN CHAMAECYPARIS—See SECT	ION II.		1 0 11	
CHINESE LAUREL — See LAUROCE			I Ot II	
CORNUS (Dogs	W O O	d)		
All our Dogwoods are CUTTING GROWN o	n their	OWN RO	OT—no	
suckering to fear. Cuttings are taken from	our ow	n Selected	Stock	
plants. The fibrous roots and strong tops m	ake for	excellent	plants.	
Plants. The fibrous roots and strong tops m Being cutting grown they all GROW STRAIG	GHT.	- 100 Pa	4.	
	Eacr	at 100 Ka		
- FLORIDA EDILCTI LIITEA White flowers			10	
- FLORIDA FRUCTI LUTEA. White flower-			10	
 FLORIDA FRUCTI LUTEA. White flower- ing dogwood with brilliant yellow 		21/2"P		
FLORIDA FRUCTI LUTEA. White flower- ing dogwood with brilliant yellow berries in Fall	6-8"		\$.60	
FLORIDA FRUCTI LUTEA. White flower- ing dogwood with brilliant yellow berries in Fall GIGANTEUM. An extra large white				
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8"	21/2"P	\$.60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall GIGANTEUM. An extra large white flowering dogwood. PENDULA. A weeping form with white flowers.	6-8" 6-8"	2½"P 2½"P	\$.60 .60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8"	21/2"P	\$.60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8"	2½"P 2½"P	\$.60 .60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8"	21/2"P 21/2"P 21/2"P	\$.60 .60 .60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8"	21/2"P 21/2"P 21/2"P	\$.60 .60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 6-8"	2½"P 2½"P 2½"P	\$.60 .60 .60	
FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 6-8"	2½"P 2½"P 2½"P ½"P	\$.60 .60 .60 .40	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 6-8"	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P 1/2"P	\$.60 .60 .60 .60	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 6-8"	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P 1/2"P	\$.60 .60 .60 .60	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall GIGANTEUM. An extra large white flowering dogwood PENDULA. A weeping form with white flowers PLENA. A double white dogwood. CORNUS FLORIDA RUBRA. The showiest of our native trees with 6 redish-pink flowers, followed in 9 Fall with a great display of red 2 berries. - KOUSA CHINENSIS. Japanese dogwood. Late white blooms with foliage. At-	6-8" 6-8" 6-8" 2-9" 2-12" 2 yr. 2	2½"P 2½"P 2½"P ½"P ½"P ½"P ½"P* ½"P*	\$.60 .60 .60 .40 .50 .65	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 2-12" 2 yr. 2 1-15" 3	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P 1/2"P	\$.60 .60 .60 .60	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 2-9" 2 2-15" 3	2½"P 2½"P 2½"P ½"P ½"P ½"P* ½"P*	\$.60 .60 .60 .40 .50 .65	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 6-8" 2-12" 2 15" 3	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P 1/2"P* 1/2"P* 21/2"P*	\$.60 .60 .60 .40 .50 .55 .65 .75	
- FLORIDA RRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall GIGANTEUM. An extra large white flowering dogwood PENDULA. A weeping form with white flowers PLENA. A double white dogwood. CORNUS FLORIDA RUBRA. The showiest of our native trees with 6 redish-pink flowers, followed in 9 Fall with a great display of red 2 berries. - KOUSA CHINENSIS. Japanese dogwood. Late white blooms with foliage. Attractive Fall berries FIELD GROWN DOGWOOD — See SECTION COTONEASTER (Rock.)	6-8" 6-8" 6-8" 6-8" 2-12" 2 15" 3	2½"P 2½"P 2½"P ½"P ½"P ½"P* ½"P*	\$.60 .60 .60 .40 .50 .55 .65 .75	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 2-9" 2 1-12" 2 1-15" 3	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P* 21/2"P* 21/2"P 21/2"P	\$.60 .60 .60 .50 .40 .55 .65 .75	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 2-9" 2 1-12" 2 1-15" 3	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P* 21/2"P* 21/2"P 21/2"P	\$.60 .60 .60 .40 .55 .65 .75	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 2-12" 2 yr. 2 11. 5 Spr. Eac 3-5" 3-5" 2 yr.	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P* 1/2"P* 21/2"P 21/2"P 21/2"P 21/2"P 21/2"P	\$.60 .60 .60 .50 .50 .65 .75	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 2-12" 2 1-15" 3 6-8" II. Spr: Eac	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P* 1/2"P* 21/2"P 21/2"P 21/2"P	\$.60 .60 .60 .50 .50 .65 .75	
- FLORIDA FRUCTI LUTEA. White flowering dogwood with brilliant yellow berries in Fall	6-8" 6-8" 6-8" 2-12" 2 yr. 2 11. 5 Spr. Eac 3-5" 3-5" 2 yr.	21/2"P 21/2"P 21/2"P 1/2"P 1/2"P* 1/2"P* 21/2"P 21/2"P 21/2"P 21/2"P 21/2"P 31/2"P*	\$.60 .60 .60 .50 .50 .65 .75	

CYPRESS — See CHAMAECYPARIS — Section I & II.

CIPRESS - See CHAMAECIPARIS		11011	α 11.
CYTISSUS — Scotch	Broor	n	
		h at 100	Rate
ANDREANUS. Crimson and yellow bloom. Spectacular when in bloom PRAECOX. Compact, hardy broom	6-8" 8-10"	21/2"P 21/2"P	
smothered with countless soft creamy- yellow flowers in May	6-8" 6-8"	21/2"P 21/2"P	.25 .25
tense green twigs in winter	8-10"	21/2"P	
DOGWOOD - See CORNUS - Sec	tions	1 & 11	
ENKIANTHUS (Redv	ein F	1	
- CAMPANULATA. Beautiful drooping red and white bell-like flowers; red Fall		•,	
FIRETHORN — See PYRACANTHA	6-9"	TFS*	.20
FRANKLINIANA - See GORDONIA	4		
GORDONIA - Frank	lin Tre		
- ALATAMAHA. Large camelia-like flowers			
in Summer and Fall. Excellent Autumn			
foliage	6-8"		'P .30
GROUND COVER — See PACHYSA	NDRA	— Sec.	1811
HEMLOCK — See TSUGA — Section	ns 1 &	11	
HOLLY - See ILEX - Section I & II.			
HYB. RHODODENDRONS — See I	ollow	ing P	-205
Sect. I, LINERS. Sect. II Field		-	.ges
		•	
ILEX (HOLL	Y)		
Flatted material (TF) Multiples of 50 -	- 50 at 1	100 rate.	
(Potted 25 at 100 rate); 250 at 1000 ra	ate.		
- ALTACLARENSE. Hybrid; large red berries	3-5"	21/2"P	.30
- AQUIFOLIA. Hardy, English. Glossy	0-0	272 1	.50
- CORNUTA. Shiny green foliage with	3-5"	21/2"P	.30
few spines	3-5"	21/2"P	.30
spines. Orange-red Fall berries	3-5"	21/2"P	.30
CRENATA BULLATA. Popular globe	3-5"	TF	.12
shaped evergreen with shiny convex	4-6"	TF	.15
foliage(2 yr.)	6-8"	TF*	.18
Holly family.	3-4"	TF	.20
LATIFOLIA. Tallest of this family.	4-6"	TF	.15
Dark green leaves(2 yr.)	6-9"	TF*	.18
MICROPHYLLA. Small leaved tenden-	3-5"	TF	.15
cy to grow upright	4-6"	TF	.18
- ROTUNDIFOLIA. Vigorous, shiny oval	3-5"	TF	.12
leaves	4-6"	TF	.15
— GLABRA NIGRA. A selected compact	6-9"	TF*	.20
form presenting a picturesque effect	3-5"	TF	.15
of redish-number foliage in winter	3-5"	21/2"P	.20
VIRIDIS. Another selection of good plant habit holding its dark green			
plant habit holding its dark green	3-5"	TF	.15
foliage thruout winter months	3-5"	21/2"P	.20
(2 yr.)	6-8"	21/2P*	.30
ILEX OPACA BRILLIANTISSIMA (Fe- male). Our most popular native			
American Holly. Brilliant red ber- 3-	5" 21	2"P	.35
ries, set heavily. Vigorous pyra- 4-	5" 21	2"P	.45
middi mabii,	9 31	2"P	.90

ILEX Continued

ILEX Continue	d		
	Each	at 100 Rate	
			,
- OPACA FEMINA. Selected forms of ber-	4-6"	21/2"P	.30
ry bearing, native Amer. Holly. (2 yr.)	6-9"	31/2"P	.75
MASCULA (Male). Selected forms.	4-6"	21/2"P	.30
Good pollen bearing(2 yr.)	6-8"	21/2"P	.40
trees(2 yr.)	6-9"	31/2"P	.75
	• •	0,1	
MASCULA & FEMINA (2) PAIRED.	4-6"	21/2"P	
Male & female Hollies growing			.55
side by side(2 yr.)	6-9"	31/2"P*	1.25
- PEDUNCULOSA. Smooth and spineless	3.5"	21/2"P	.30
- PERNEYI. Small spiny foliage. Red			
berries.	3-5"	21/2"P	.30
- RUGOSA. Lovely evergreen Asiatic Hol-			
ly. Small, oval, spineless leaves	3-5"	21/2"P	.30
	0.0	272 1	.00
FIELD GROWN ILEX — See SECTION II.			
JAPANESE RED MAPLE - See ACE	2 - 50	ctions I	& II
JAPANESE RED MAPLE - See ACL	30	ciions i	ω II.
JUNIPERUS — Ju	nine		
JOINTER 03-30	III P	31	
- CHINENSIS PROSTRATA (Parsoni). Very			
interesting law engading form with	4-6"	21/2"P	.20
interesting low spreading form with		21/2"P*	.25
blue-green foliage	2 yr.	21/2 P	.25
- COMMUNIS DEPRESSA. Low spreading.			
Purplish hue in winter	4-6"	21/2"P	.18
- EXCELSA STRICTA. Dense, upright habit.	3-5"	21/2"P	.18
Blue-green foliage	2 yr.	21/2"P*	.22
	4-6"	21/2"P	.18
		21/2"P*	.22
habit	2 yr.	21/2 7	.22
- PFITZERIANA. Popular spreading, bushy			
evergreen. Feathery grey-green	4-6"	21/2"P	.18
foliage	2 yr.	21/2"P*	.22
- SABINA PROSTRATA (Bar Harbor). Trail-			
ing blue-green	4-6"	21/2"P	.20
FIELD GROWN JUNIPERS - See Section II.			
TIELD OROTHE SOUTH ERS SEE SEENON III			
LAUROCERASUS — Chine	ese L	aurel	
Flatted (TF) Multiples of 50; potted	25		
riatied (ir) multiples of 30; polied	23 pius.		
- SCHIPKAENSIS. Beautiful shiny, ever-	3-5"	TF	.20
green foundation shrub(2 yr.)	6-8"	TF*	.25
g	4-6"	21/2"P	.25
(2 yr.)	6-8"	21/2"P	.30
(-)	• •	-/	
- ZABELIANA. Graceful, narrow leaved	3-5"	TF	.20
evergreen foundation shrub(2 yr.)	6-8"	TF*	.25
evergreen roomaanon smoon(2)11)	4-6"	21/2"P	.25
(2 yr.)	6-8"	21/2"P	.30
		-/2 .	.00
FIELD GROWN LAUROCERASUS—See SECTION	ON II.		
LEUCOTUO	-		
LEUCOTHO	E		
AXILLARIS. Dense, compact evergreen.			
White flowers (Multiples of 50)	4-6"	TF	.20
(2 yr.)	6-9"	TF*	.25
- CATESBAEI. Graceful broad-leaved ever-			
green. White flowers in Spring;			
bronzed foliage in winter. (Multiples	3-5"	TF(S)*	.15
of 50).	4-6"	TF	.20
FIELD GROWN LEUCOTHOE — See SECTION			.20
FIELD GROWN LEUCOINGE - 366 SECTION			

MAGNOLIA

We are "PIONEERS" in growing Magnolia from cuttings (own root).

Our plants are not bothered by suckering or graft weakness.

REING CUTTING GROWN—THEY MAKE RETTER PLANTS

BEING CUTTING GROWN-THEY MAKE BET			ikiicaa.
		at 100 R	late
- ALBA SUPERBA. Large white flowers	8-12"	21/2"P	.50
- ALEXANDRINA. Brilliant pink, blooms	8-12"	21/2"P 21/2"P	.60
- LENNEI. Immense tulip-shaped flowers			.60
of deep purplish-rose(2 yr.) - RUSTICA RUBRA. Best dark purplish-	12-15	21/2 P"	.75
rose. Excellent habit of growth	8-12"	21/2"P	.50
EACH AT (RATE			10,000
MAGNOLIA SOULANGEANA			.0,000
Still the most popular variety. Very flori-	"P .40	.35	.30
ferous; good plant (2 yr.) 12-15" 21/2 habit with lg. pink	"P .60	.55*	.50*
flowers in spring. (2 yr.) 15-18" 31/2 - SOULANGEANA NIGRA. Very dark, pur-	"P .80	.70	
plish-red; alossy foliage	8-12"		.50
- STELLATA WATERLILY. Outstanding,	6-8"	21/2"P	.45
white Stellata,(2 yr.)	12-15"	31/2"P	.75
— STELLATA WHITE STAR. Dense habit; early pure white star-like flowers	6-8"	21/2"P	.45
(2 yr.)		21/2"P*	
FIELD GROWN MAGNOLIA - See SECTION			
MIMOSA — See ALBIZZIA — Section	ns I &	11	
PACHYSANDRA (Japane	se Sp	urge)	
- TERMINALIS. Popular ground cover for			
shady areas	*CBR	(\$50 per	1000)
PIERIS — See ANDROMEDA — Sec			
PYRACANTHA (Lalandi	Fireth	orn)	
COCCINEA IAIANDI Vana bailliana	2 511	21/2"P	.20
orange-red berries in the Fall	4-6"	Z1/2 P	.25
orange-red berries in the Fall	3-5"	21/2"P 21/2"P	.25
RED — MAPLE — See ACER — Secti			
RETINOSPORA — See CHAMAECYI			1 0 11
RHODODENDRON HYBS. — See F Sect. I, LINERS; Sect. II Field Gro		ng Pag	jes —
SCOTCH BROOM — See CYTISSUS			
STEWARTI	A		
	A		
- PSEUDO CAMELIA. A clean, insect proof,			
small tree. Countless camelia-like white flowers—July	4-6"	21/2"P	.40
TAXUS (YE	W)		
Fla: Grown (TBR) — Order in Mul		50	
- BACCATA REPANDENS. Dark green fo-		•	
liage. Low spreading habit	3-5"	TBR*	.15
- BROWNI. Compact spreading yew with			
dark green foliage	4-6"	TBR*	.15
- COLUMNARIS. Dark green, upright col-	4-6"	TBR	
			.18
umnar form	6-8"	TBR*	.22
- CUSPIDATA. Rich deep green needles.	6-8" 4-6" 6-8"	TBR* TBR	.15
- CUSPIDATA. Rich deep green needles.	6-8" 4-6" 6-8"	TBR*	.22 .15 .18
umnar form	6-8" 4-6"	TBR* TBR TBR*	.22 .15 .18
CUSPIDATA. Rich deep green needles. Spreading, bushy type CAPINATA. Upright (pyramidal). Ex-	6-8" 4-6" 6-8" 4-6"	TBR* TBR TBR* TBR	.22 .15 .18

TAXUS Continued

TAXUS Continu	ued		
		Each at 10	O Rate
NANA (BREVIFOLIA). Very hardy.			- Kale
dark green broad needles. Dwarf,	3-5"	TBR	.15
spreading variety	6-8"	TBR	.18
- INTERMEDIA. Hybrid, having good	4-6"	TBR	.15
bushy dense habit	6-8"	TBR*	.18
- KELSEYI. Dark green, large needles,	0.511	700	
bushy, spreading type. Large brilliant red berries	3-5" 6-8"	TBR TBR*	.15
- MEDIA HATFIELDI. Upright form; excel-	4-6"	TBR	.18
lent for hedges	6-8"	TBR*	.15
	4-6"	TBR	.15
HICKSI. Popular hedge plant. Dark green foliage. Upright habit	6-8"	TBR*	.18
2 yr. grade is also offered, adding 25% to			
		() [
THUJA (Arbory	ita	(4	
Flat Grown (TBR) — Order in Mu			
- OCC. ELEGANTISSIMA. Vigorous, upright, fool proof variety with high			
lights at the tips of branches	6-8"	TBR	.15
GLOBOSA. Dense, ball-shaped plant	6-8"	TBR	.15
LUTEA. A good golden foliage plant	0-0	IDK	.15
for contrasts	6-8"	TBR	.15
NIGRA. One of the darkest and best	0.0	1 Dic	.13
growing of this family	6-8"	TBR	.15
PYRAMIDALIS. Brilliant green, pyra-			
midal type	6-8"	TBR	.15
ROSENTHALL. Dense, dwarf, upright;			
with erect foliage	4-6"	TBR	.15
SPIRALIS (Douglasi). Upright, narrow,			
columnar form	6-8"	TBR	.15
FIELD GROWN THUJA — See SECTION II.			
TSUGA (Heml	o c k)	
Transplanted — Bedded — Se	edlings		
(With Soil Ball)			
EACH AT		100	1,000
- CANADENSIS. (Graceful Canadian Hem-	4-6"	.15*	.12*
lock). Bushy, well branched, stocky	6-9"	.20*	.16*
plants. Exceptional heavy, fibrous root system	9-12"	.25*	.20*
1001 0701011	15-18"	.45*	.40*
(*)Available FALL as well as SPRING.			.40
VIBURNUA	٨		
- BURKWOODI. Evergreen, fragrant pink			
snowball	4-6"	21/2"P	.25
- CARLESI. Very fragrant pink flowers in			
the Spring	4-6"	21/2"P	.30
- JUDDI. Very fragrant pink flowers. Ex-	4-6"	01/ //0	
cellent plant for landscaping	4-0	21/2"P	.30
wooly leaves; umbels of white flowers			
in the Spring	4-6"	21/2"P	.22
in the Spring			
ing; showlest of brilliant red pendu-		01/45	
- TOM. PLICATUM. Our popular Japanese	4-6"	21/2"P	.20
snow ball	4-6"	21/2"P	.22
FIELD GROWN VIBURNUM — See SECTION I		-,2 .	
YFW - See TAXUS			

YEW — See TAXUS

RHODODENDRON-Named Hybrids

Hardy :: Strong :: Own Root :: Transplants

Our Rhododendron Liners, being "cutting grown," are not on borrowed tender roots; have no graft or union weakness and are not subject to understock suckering or disease.

We carefully select our cuttings from choice, healthy, vigorous, blooming named hybrids.

On their "own roots," our transplants are True-to-Name to the "tips" of their vigorous, healthly roots.

We produce 100,000 cutting grown Rhodondendrons, yearly in over 75 listed varieties and are hybridizing and testing many outstanding novelties.

Our Rhododendrons will develope MORE rapidly into strong, well branched, bushy, heavily budded stock-a welcome asset for the discriminating nurservman.

This is a **PROFIT ITEM**—proven by more increased. repeat orders-each year-from steady, satisfied cus-

Select TODAY!! from this list of interesting, choice Named Hybrids.

Ready MAY 1st-with vigorous tops and heavy, superbly rooted peat ball. . . . THE FOLLOWING:

RHODODENDRONS

50c Each at 100 Rate; 45c Each at 1000 Rate for 260 or more of one variety. Each variety sold in multiples of 20 only and 20 at 100 rate.

CATAWBIENSE GRANDIFLORUM. One of the best for foliage. Flowers are rosy-purple. Prolific bloomer.

ROSEUM ELEGANS. The BEST all round landscape plant. Forms a dense plant covered with good sized trusses of mauve pink.

RHODODENDRONS

75c Each at 100 Rate.

Each variety sold in multiples of 20 only and 20 at 100 rate. 1000 rates does not apply.

ALBUM ELEGANS. A vigorous upright type with good foliage and lovely white flowers.

ALBUM GRANDIFLORUM. Large plant. Good foliage. Opens blush,

ALBUM NOVUM. Opens pale lavender then turns white. Lovely

CARACTACUS. An old standby with flowers of crimson. Habit of plant is excellent.

CATHERINE VAN TOL. A rugged, lovely pink flowering hybrid. CHAS. BAGLEY. Lovely large trusses of rose-red; spreading habit. CHAS. THOROLD. Purple, greenish-yellow eye; lovely foliage. CUNNINGHAM WHITE. Dense, compact plant. Early white.

CYNTHIA. Immense red trusses; rapid grower.

FASTUOSUM fl. pl. Pale lavender-purple flower; inclination to dou-

F. D. GODMAN. Deep red effect caused by dark pattern on upper lobe of flower.

GIGANTEUM. A rose-red variety of vigorous habit. IGNATIUS SARGENT. Most handsome. Individual flowers, very large; light red with paler throat.

FIELD GROWN RHODODENDRON NAMED HYBS. - See SECTION II.

75c Each RHODODENDRONS - Continued

KATE WATERER. Beautiful red with a prominent golden throat. MIDSUMMER. Very late blooming variety; deep pink with ochre

MINNIE. Blush white; orange pattern.

OLD PORT. Plum-colored; very hardy.

PARSONS GLORIOSUM. Profuse Bloomer-lavender-pink; healthy, vigorous plant.

PRINCE. CAM. de ROHAN. Large blush flowers with carmine spots and dark throat.

PURPUREUM CRISPUM. Purple flowers with wavy lobes.

PURPUREUM ELEGANS. Good hardy purple; excels for foliage and

PURPUREUM GRANDIFLORUM. Reliable purple with large dark green leaves.

ROSEUM PINK. A select form of Roseum Elegans, having the same good plant habit with large trusses of clear pink flowers.

ROSEUM SUPERBUM. Clear, soft pink; late bloomer. SAPPHO. White with maroon blatch. VAN der BROCK. Aniline red; vigorous grower.

RHODODENDRONS 90c Each at 100 Rate.

Each variety sold in multiples of 20 only and 20 at 100 rate. 1000 rate does not apply.

AMERICA. Considered the best hardy red today; spreading habit. ATROSANGUINEA. Ironclad Red; good foliage and plant habit.

BLACK BEAUTY. Very dark maroon flowers.

BLUE PETER. Lavender-blue with dark blotch.

BOULE de NEIGE. Dwarf, compact; early white.

CATAWBIENSE ALBUM. Proven the best all-around hardy white. DR. DRESSELHUYS. Upright grower, crowned with aniline red flow-

ers in tall trusses.

DR. RUTGERS, Top-rate recent introduction. Broad, dense plant with red flowers.

DUKE OF YORK. Clear, intense pink; dark throat.

EDWARD S. RAND. Distinctive foliage; good hardy red.

EVERESTIANUM. Wonderful plant, graced with lovely frilled flowers; pure lavender.

FLUSHING. Very hardy red Catawbiense hybrid.

GOETHE. Dense, compact plant; large trusses of lavender flowers.

GOMER WATERER. One of the largest white flowering Rhodos. H. H. HUNNEWELL. Carmine-red; very hardy.

H. W. SARGENT. Very large, deep crimson red flowers.

KETTLEDRUM. Good, old, hardy red; spreading habit.

LADY ARMSTRONG. Rosy-red with white throat; very hardy.

LADY CLERMONT. Light red with deep crimson blotch. LADY EL. CATHCART. Clear pink; spotted.

LADY GREY EGERTON. Immense trusses; delicate lavender.

LEE'S BEST PURPLE. Deep purple. Excellent plant habit.

LEE'S DARK PURPLE. Large, purple trusses backed by dark wayy

LORD ARMSTRONG. Darker than Lady Armstrong with white anthers.

LORD ROBERTS. Deep red with dark crimson pattern.

MAD deBRUIN. Brilliant red; interesting way foliage.

MAD. MASSON. Tall white trusses with a prominent golden-yellow

MC INTOSH, Aniline red; vigorous grower.

MEADOWBROOK. Cheerful deep pink-fimbriated flowers.

MME. CARVALHO. Very large flowering white.

MRS. P. den OUDEN. Dense, compact; smothered with aniline red flowers.



90c EACH. RHODODENDRONS - Continued

MRS. R. S. HOLFORD. Large trusses of salmon-red.

PROF. BETTEX. Brilliant red; good foliage.

PURPLE SPLENDOUR. Lovely pansy-purple with deeper throat blotch.

ROSLYN. Lovely trusses of lavender-blue with white stamens.

SCIPIO. Red with crimson blotch.

SEFTON. The darkest colored Rhododendrons; deep maroon.

THE QUEEN. White flowers with a yellow throat blotch.
VAN WEERDEN POELMANN. An aniline red variety with interesting

wavy foliage. FIELD GROWN RHODODENDRON NAMED HYBS. - See SECTION II

RHODODENDRONS

Small-leaved (Dwarf) Varieties 4 - 6" TF

40c Each at 100 Rate

Each variety sold in multiples of 20 only and 20 at 100 rate. 1000 rate does not apply.

MYRTIFOLIUM. Dwarf pink, short-pointed leaves; good for low plantings.

WILSONI. Excellent, compact plant habit—ideal for rock gardens or foundation planting; flowers pink.

The following small-leaved varieties are available in selected transplanted seedlings:

*R. CAROLINA *R. RACEMOSUM

(*)Available FALL as well as SPRING. See following pages for a COMPLETE LIST of choice Rhododendron Seedlings - Heavy Transplants.

NOVELTIES IN SMALL LEAVED RHODODENDRONS

Strong — Transplanted — Rooted Cuttings

We consider these Rhododendron Novelties the hardiest of all the new, small-leaved or dwarf varieties produced recently. 60c EACH AT 100 RATE. Each variety sold in multiples of 20 only and 20 at 100 rate. 1000 rate does not apply.

PURPLE GEM. Outstanding dwarf with flowers on intense purple. A gem in its class. A lovely plant even when not in bloom.

RAMAPO. Very desirable for base planting. Always sure to furnish countless orchid colored flowers. Dense habit of growth.

WINDBEAM. Lovely shade of delicate pink; multiple trusses, smothering the whole plant when in bloom. Foliage and plant habit are excellent.

DEXTER HYBRIDS

Own Root (Cutting Grown) Transplants

We have tested over a hundred plants which were chosen as the best out of thousands of the so-called "Dexter Hybrids" planted along the Eastern Seaboard. The following were selected for their outstanding flowering, foliage and plant habit. \$2.00 EACH (only 5 of a variety per customer); \$2.50 EACH for less than 5 of a kind. AMETHYST. Huge frilled lavender flowers over four inches across. Vigorous plant habit; never fails to bloom.

CHAMPAGNE. This cream colored Dexter, with apricot buds is an

exception in this class—glossy, dark green foliage.

MRS. WM. R. COE. Deep, brilliant pink with crimson throat. Immense trusses with flowers over four inches across. Lovely, glossy, dark green foliage.

SCINTILLATION. Large trusses of luminous pink flowers of exceptional substance. Dark green, handsome foliage. Ideal plant habit. One of the hardiest of the Dexter class.

WESTBURY. A lively pink flowering selection with golden sparkle in throat. Very floriferous; compact plant habit.

WHEATLEY. Upstanding trusses of delicate pink flowers. Exceptional foliage and plant habit. Holds color well in open situation.

FOR EQUITABLE DISTRIBUTION, THE "DEXTER HYBRIDS" ARE LIMITED TO 25% OF TOTAL RHODODENDRON ORDER.

FIELD GROWN RHODODENDRON NAME HYBS. - See SECTION II.

*RHODODENDRON HYBRID SEEDLINGS

We offer plants grown only from hand-pollinated seeds. After many years of experience in growing hybrid seedlings, we have found it a waste of time to grow plants which were produced from open (uncontrolled) pollinated seeds.

Heavy Seedlings - Transplants - 1 Yr. TF (S) Order in Multiples of 50 - 50 at 100 rate; 250 one varie-

ty at 1000 rate.

*RHODODENDRON CATAWBIENSE NAMED HYBRID CROSSES

25c Each at 100 Rate. (22c Each at 1000 Rate).

ATROSANGUINEA X AMERICA. The results of this cross show a better plant habit than either of its parents.

CHAS. DICKENS X ATROSANGUINEA. Both parents are recognized for hardiness and considered reliable red varieties.

CHAS. DICKENS X KETTLEDRUM. Another good cross to produce

very hardy red hybrids.

GLASS WHITE X PYGMALION. A combination of our native hardy white with a brilliant red with a dark blotch.

KETTLEDRUM X AMERICA. This cross should produce very interesting red flowering plants.

KETTLEDRUM X CHOCOLATE SOLDIER. For darker shades of crimson. The male plant is a very deep maroon.

*RHODODENDRON DEXTER (FORTUNAE) CROSSES

25c Each at 100 Rate. (22c Each at 1000 Rate).

DEXTER RED X DEXTER RED (Frilled). Both parents are brilliant red varieties. Good possibilities for frilled flowers.

SCINTILLATION X AMERICA. This cross may produce more intense

shades of pink.

SCINTILLATION X PARKER PINK. One of the hardiest combinations

in the best outstanding Dexter varieties. SCINTILLATION X WHEATLEY. Two of the best pink Dexters. Plant habit-trusses and flowers-excellent.

WHEATLEY X MRS. WM. R. COE. The male parent produces deep pink flowers over four inches across with a dark throat blotch.

*RHODODENDRON SPECIES

The following plants are grown from seed collected from the best type of each true species.

20c Each at 100 Rate. (18c Each at 1000 Rate). CAROLINA. Seed selected from an outstanding pink type, having

excellent plant habit. CROCEUM. A yellow flowering species. Plant in a sheltered location for best results.

RACEMOSUM. An excellent dwarf pink flowering species, ideal for rock-gardens and low foundation plantings.

RHODODENDRON NAMED HYBRIDS—Own Root (cutting grown) Transplants. See PRECEDING PAGES. FIELD GROWN RHODODENDRONS NAMED HYBRIDS - See SEC. II (*)Available FALL as well as SPRING.

Field Grown Stock (and Advanced Liners)

RED JAP. MAPLE ANDROMEDA . RHODODENDRON HYBS. HOLLY • JUNIPER • ARBORVITAE •
CHINESE LAUREL • VIBILIDADITA DOGWOOD . MAGNOLIA . AZALEA • CYPRESS HEMLOCK VIBURNUM
 GROUND COVER PLANTS

See SECTION II—Following Pages



SECTION II

Field Grown Stock
(and Advanced Liners)

FALL-1958 • SPRING-1959

SIZES REFER TO HEIGHT, UNLESS NOTED.

KEY:

B.&B. — Balled & Burlapped PB.R. — Bare Root Spd. C. — Cutting Grown S.B. -

P — From Pots Spd. — Spread S.B. — Soil Ball

RATES: (One Variety and Size)

10 RATE — 5 to 24 ■ 100 RATE — 25 plus

SECT. II. The PRICES herein are based on material being picked up at the nursery. Delivery, when warranted, may be arranged, at cost on a truck load or combined load basis. Railway Express, Parcel Post and other modes which involve packing are generally discouraged, while trucking (delivery) may suffice. In any event, if packing (boxing and crating) is involved, an additional charge will be made on an "at cost basis."

TERMS AND CONDITIONS - See Pages 2 & 3

ACER PALMATUM (Red Maple) Blood Red

			EAC	H PER
- PALMATUM ATROPURP	UREUM.		10	100
(Japanese Red Ma- ple) True Blood (not	S.B.	10-12"	\$1.80	\$1.50
dull) RED the entire	S.B.	12-15"	2.10	1.75
season.	S.B.	15-18"	2.70	2.25
Extra (B & B	15-18"	4.75	
Bushy	B & B	18-24"	5.75	
• (B & B	2-21/2"	6.75	
(B & B	21/2×2'	Prices	
Specimens {	B & B	3 x21/2'	on	
(B & B	31/2×3'	Ap	p'l.

For POTTED RED MAPLE LINERS - See SECTION I - ACER

ANDROMEDA (Pieris) — JAP. ANDROMEDA

- JAPONICA COMPACTA. Our	S.B.	6-8"	\$.90	\$.75
compact form of this family.	B & B	8-10"	1.20	1.00
Makes a dense plant with foliage	B & B	10-12"	1.60	1.30
somewhat smaller than the type.	B & B	12-15"	2.00	1.60
	B & B	15-18"	2.40	2.00

- FLORIBUNDA. Compact, hardy S.B. 4-6" spd. .55 .45 form. White flowers in Spring. S.B. 6-8" spd. .70 .60 FLAT GROWN ANDROMEDA LINERS - See SECTION 1.

ALBIZZIA (Mimosa)

- JUL. ROSEA. Hardy-pink Mimosa B & B 3.9' Prices on App'l. ARBORVITAE — See THUJA — Sections I & II

AZALEAS

ALAL	- ~ -			
AMOENA. Hardy evergreen	B & B	15-18" spd.	\$3.00	\$2.50
Cerise	B & B	18-21" spd.	3.60	3.00
***************************************	B & B	21-24" spd.	4.20	3.50
CORAL BELLS. Evergreen, hose-in-	B & B	8-10" spd.	1.20	1.00
hose pink	B & B	10-12" spd.	1.50	1.25
•••••	B & B	12-15" spd.	1.80	1.50
DOUBLE HINODEGIRI. Same habit				
as Hindegiri, but having hose-in-				
hore flowers	D 2 D	10.12" and	1 00	1 50

AZALEAS - Continued On Next Page

AZALEAS	Cor	ntinued	EACH 10	PER 100
HINOCRIMSON. Very dense com- pact form; intense crimson. One of the best evergreen Azaleas for foundation planting	S.B. B & B B & B B & B B & B	4- 6" spd. 6- 8" spd. 8-10" spd. 10-12" spd. 12-15" spd. 15-18" spd.	.90 1.20 1.50 1.80 2.40 3.00	.75 1.00 1.25 1.50 2.00 2.50
HINODEGIRI. The old reliable red evergreen azalea, being in great demand for high lights in plant- ings around the home	B & B	10-12" spd.	.60 .90 1.20 1.50 2.10 3.00	.50 .75 1.00 1.25 1.75 2.50
beautiful HARDY Azaleas for these parts. When in bloom com- pares favorably with the tender Indica Azaleas. Large double sal- mon pink flowers			1.20 1.50 1.80 2.40	1.00 1.25 1.50 2.00
MUCRONULATUM. One of the earliest to bloom with its countless Lavender flowers in bloom with forsythia	B & B B & B	6- 9" 9-12"	1.20 1.50	1.00 1.25
POUKHANENSIS. (Rose and Pink Shades.) One of the hardiest Azaleas forming dense spreading compact plants. No undesirable rose-purple shades	B & B B & B		1.50 2.10 3.00 3.60 4.20 4.80	1.25 1.75 2.50 3.00 3.50 4.00
ROSE BUD. Beautiful brilliant Pink double flowers. When first opening, resemble miniature roses	B & B B & B B & B B & B	6- 8" spd. 8-10" spd. 10-12" spd. 12-15" spd.	1.20 1.50 1.80 2.10	1.00 1.25 1.50 1.75
SCHLIPPENBACHI. Immense flowers of pink; vigorous habit	B & B	12-15" 15-18"	3.00 3.60	2.50 3.00
FLAT GROWN AZALEA LINERS — Se	e SEC	TION I.		
CANADIAN HEMLOCK See TSUGA — Sections I &	11.			
CAROLINA HEMLOCK — See	TSU	GA — Sec	ion l	II.
CHAMAECYPARIS	(Re	tinospora	a)	
- CYANO VIRIDIS. One of the bluest evergreens. Very hardy	B & B B & B	12-15" 15-18" 18-21"	\$2.40 3.00 3.50 4.00	
FLAT GROWN CHAMAECYPARIS LIN CHINESE LAUREL See LAUROCERASUS — Se	IERS —		4.50 N I.	
CORNUS (DO	O G	woor))	
- FLORIDA. White dogwood	B & B	3- 4'	3.60	3.00
FRUCTI LUTEA. White flower- ing Dogwood with brilliant	8 & B 8 & B 8 & B	4- 5' 5- 6' 6- 7'	4.80 6.00 7.20	4.00 5.00 6.00
YELLOW berries in Fall				
	B & B B & B		Price	s on

CORNUS	Con	tinued		CH PER
PLENA. A double white dog-	RRF	4- 5'	10 6.0	
			7.5	
wood	B & B	21/2-3'	4.	
showiest of our native trees. Reddish-pink flowers followed	B & E	3-31/2"	4.	
Reddish-pink flowers followed	B & B	31/2-4'	5.4	
in Fall with a great display of	B & E	4-41/2'	7.5	
red berries	B & E	41/2-5	8.4	40
CYPRESS—See CHAMAECYP	ARIS	Section	ons I a	& II.
DOGWOOD — See CORNUS				•
HEMLOCK — See TSUGA — S	ectio	ns I 8	t II.	
HOLLY - See ILEX - Section	s 8	l II.		
HYBRID RHODODENDRONS				
See RHODODENDRON —	SECTI	ONS I	& 11.	
11.57 /11				
ILEX (H	011	у)		
- CRENATA BULLATA. Popular				
globe shaped evergreen with shiny convex foliage	D 9. D	0.12"	spd. \$1.8	20 \$1.50
MICROPHYLLA. Small leaved	DotD	7-12	spa. #1.0	30 \$1.30
MICROPHYLLA. Small leaved tendency to grow upright ROTUNDIFOLIA. Vigorous, shiny, oval leaves	B & B	12-15"	2.4	10 2.00
ROTUNDIFOLIA. Vigorous,	B & B	12-15"	2.4	10 2.00
shiny, oval leaves	B & B	15-18"	3.0	
- GLABRA. (Ink Berry). Our small leaved holly	B & B	12-15"	2.4	
leaved holly	B & B	15-18"	2.7	
POT and FLAT GROWN LINERS - S	B & B	18-24"	3.6	3.00
JAPANESE ANDROMEDA	ee Jr		. — ILEX	
See ANDROMEDA — Section				
JAPANESE RED MAPLE—See	ACE	D CEC	TIONS	1 0 11
JAPANESE KED MAPLE-See	MCE	7-3EC	110143	1 oc 11.
JUNIPERUS				1 & 11.
JUNIPERUS — HETZI. Blue-green foliage;	(Ju	nip	er)	
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju	nip		
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju	nip	er)	
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(J u	n i p	er) spd. \$3.2	25 \$2.75
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(J u	n i p	er)	25 \$2.75
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju B&B B&B TION	n i p 18-24" 18-24" I.	er) spd. \$3.2 spd. 3.5	25 \$2.75
JUNIPERUS — HETZI. Blue-green foliage; spreading habit	B&B B&B TION	18-24" 18-24" 18-24" 1.	er) spd. \$3.2 spd. 3.5 aurel)	25 \$2.75 50 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine	18-24" 18-24" 1. ese La	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8	25 \$2.75 50 3.00 30 1.50
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine	18-24" 18-24" 1. ese La	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8	25 \$2.75 50 3.00 80 1.50 10 2.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine B&B B&B B&B	18-24" 18-24" I. 18-24" I. 9-12" 12-15" 15-18"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.0	25 \$2.75 50 3.00 80 1.50 80 2.00 90 2.50
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine B&B B&B B&B B&B B&B	18-24" 18-24" 18-24" 1. 25 E L 9-12" 12-15" 15-18" 18-24"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 3.6	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B	18-24" 18-24" 18-24" 18-24" 18-24" 12-15" 15-18" 18-24" 2-21/2'	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 3.6 spd. 4.2	25 \$2.75 3.00 3.00 3.00 3.00 3.00 3.00 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	18-24" 18-24" 18-24" 19-12" 15-18" 18-24" 2-21/2' 9-12" 12-15"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 4.2 spd. 1.8 spd. 1.8	25 \$2.75 50 3.00 30 1.50 10 2.00 10 2.50 10 0 10 1.50
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B TION Chine B&B B&B B&B B&B B&B B&B B&B B&B B&B B&	18-24" 18-24" 1. 18-24" 1. 18-24" 12-15" 18-24" 2-21/2' 9-12" 15-18"	er) spd. \$3.2 spd. 3.5 spd. 1.8 spd. 2.4 spd. 3.0 spd. 4.2 spd. 4.2 spd. 1.8 spd. 2.4 spd. 3.0	25 \$2.75 50 3.00 60 1.50 10 2.00 10 2.50 10 3.00 10 1.50 10 2.00 10 2.50 10 2.50
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(J u	18-24" 18-24" 18-24" 1-15" 15-18" 12-15" 12-15" 15-18" 15-18" 15-18" 15-18"	spd. \$3.2 spd. 3.5 spd. 3.5 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 4.2 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 3.0 spd. 3.0	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 3.00 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(J u	18-24" 18-24" 18-24" 1-15" 15-18" 12-15" 12-15" 15-18" 15-18" 15-18" 15-18"	spd. \$3.2 spd. 3.5 spd. 3.5 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 4.2 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 3.0 spd. 3.0	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 3.00 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B	18-24" 18-24" 18-24" 1. 9-12" 12-15" 15-18" 2-21/2' 9-12" 15-18" 18-24" iners —	spd. \$3.2 spd. 3.5 spd. 3.5 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 4.2 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.0 spd. 3.0 spd. 3.0	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00 60 3.00 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju B&B B&B B&B TION Chind B&B B&B B&B B&B B&B B&B B&B B	18-24" 18-24" 18-24" 12-15" 15-18" 18-24" 12-15" 18-24" 12-15" 11-18" 18-24" 11-18"	er) spd. \$3.2 spd. 3.5 aurel) spd. 2.4 spd. 3.6 spd. 3.6 spd. 1.8 spd. 1.8 spd. 2.4 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju B&B B&B B&B B&B B&B B&B B&B B	18-24" 18-24" 18-24" 18-24" 12-15" 18-24" 12-15" 18-18" 18-24" 15-18" 18-24" 15-18"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 4.2 spd. 3.6 spd. 4.2 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju B&B B&B B&B B&B B&B B&B B&B B	18-24" 18-24" 18-24" 18-24" 12-15" 18-24" 12-15" 18-18" 18-24" 15-18" 18-24" 15-18"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 4.2 spd. 3.6 spd. 4.2 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B	18-24" 18-24" 18-24" 19-12" 12-15" 15-18" 18-24" 2-21/2' 12-15" 15-18" 18-24" 19-12" 19-12" 19-12" 19-12" 19-12" 19-12"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 4.2 spd. 3.6 spd. 4.2 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.00 60 1.50 60 2.00 60 2.00 60 2.00 60 2.00 60 2.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	18-24" 18-24" 18-24" 19-12" 12-15" 18-24" 12-15" 18-18" 18-18" 18-24" 19-12" 15-18" 18-24" 19-12" 15-18" 18-24" 18-24" 18-24" 18-24" 18-24" 18-24"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 4.2 spd. 3.0 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 3.00 60 2.50 60 3.00 60 2.50 60 3.00 60 1.50 60 2.50 60 3.00 60 2.50 60 3.00 60 3.
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B BION Chine B&BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	18-24" 18-24" 18-24" 19-12" 12-15" 15-18" 12-15" 15-18" 18-24" INERS — P-12" EECTION A 15-18"	er) spd. \$3.2 spd. 3.5 spd. 1.8 spd. 1.8 spd. 2.4 spd. 3.6 spd. 2.4 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 1.8 spd. 3.6 spd. 1.8	25 \$2.75 50 3.00 60 1.50 60 2.50 60 3.00 60 1.50 60 3.00 60 1.50 60 3.00 60 2.50 60 3.00 60 2.50 60 3.00 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB	18-24" 18-24" 18-24" 19-12" 12-15" 18-24" 12-15" 18-18" 18-18" 18-24" 19-12" 15-18" 18-24" 19-12" 15-18" 18-24" 18-24" 18-24" 18-24" 18-24" 18-24"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.0 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 1.50 60 2.50 60 1.50 60 2.50 60 3.00 60 1.50 60 2.50 60 3.00 60 1.50 60 3.00 60 1.50 60 3.00 60 1.50 60 3.00 60 1.50
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B BABBBABBBABBBABBABBABBBABBBABBBA	18-24" 18-24" 18-24" 18-24" 12-15" 15-18" 12-15" 15-18" 18-24" 15-18" 18-24" 18-24" 18-24" 18-24"	er) spd. \$3.2 spd. 3.5 spd. 1.8 spd. 1.8 spd. 2.4 spd. 3.6 spd. 2.4 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 1.8 spd. 3.6 spd. 1.8	25 \$2.75 50 3.00 50 1.50 50 2.00 50 2.50 50 2.50 50 2.50 50 2.50 50 1.75 50 1.75
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	B&B B&B BABBBABBBABBBABBABBABBBABBBABBBA	18-24" 18-24" 18-24" 18-24" 12-15" 15-18" 12-15" 15-18" 18-24" 15-18" 18-24" 18-24" 18-24" 18-24"	er) spd. \$3.2 spd. 3.5 aurel) spd. 1.8 spd. 2.4 spd. 3.6 spd. 3.6 spd. 4.2 spd. 3.0 spd. 3.0 spd. 3.0 spd. 1.8 spd. 1.8 spd. 2.4 spd. 1.8 spd. 2.4 spd. 3.0	25 \$2.75 50 3.00 60 1.50 60 2.50 60 3.00 60 1.50 60 3.00 7.75 60 1.75 60 1.75 60 1.75 60 2.25 60 3.00
JUNIPERUS - HETZI. Blue-green foliage; spreading habit	(Ju B&B B&B BION Chine B&BB BB BB	18-24" 18-24" 18-24" 12-15" 15-18" 18-24" 12-15" 15-18" 15-18" 18-24" INERS — 9-12" 15-18" 15-18" 15-18"	er) spd. \$3.2 spd. 3.5 spd. 3.5 spd. 1.8 spd. 2.4 spd. 3.6 spd. 2.4 spd. 3.6 spd. 3.6 spd. 3.6 spd. 3.6 spd. 1.8 spd. 2.4 spd. 1.8 spd. 3.6 See SEC	25 \$2.75 50 3.00 60 1.50 60 2.00 60 2.50 60 2.50 60 2.50 60 1.50 60 2.50 60 1.75 60 2.25 60 2.25 60 2.25 60 3.00 60 1.75

			_			
	MAC	SNOLIAS	Conf	inued	EACH 10	PER 100
- SOULAN		ery florifer-	S.B.	12-15"	1.25	1.00
		bit. Lg. pink		15-18"	1.50	1.25
Tiowers	in spring	••••••	S.B. B&B	18-24" 11/2-2'	1.75 3.00	1.50 2.50
			B & B	2-21/2"	3.50	3.00
CTELLAT	A WATER	v		21/2-3'	4.00	3.50
		than white	S.B. S.B.	15-18" 18-24"	1.75 2.00	1.50 1.75
				2-21/2'	4.75	4.00
POTTED M	ACNOUA II	NERS — See S		21/2-3'	6.00	5.00
		– See AC			1 & 11	
MIMOSA	- See A	LBIZZIA -	Section	ons I & II	l	
	DROMEDA					
See A	NDROME	DA FLORIE	SUND	A — Secti	ons I	& II.
PA	CHYSA	VDRA (Ja	pane	ese Spu	rae)	
- TERMINA	ALIS. Popula	r ground cov-		-1-7	-3-,	
er for sh	nady areas	DOMED A	CBR	(\$50 per	100)
		ROMEDA				
RETINOS		- See AC	EK —	Sections	1 & 11.	•
		YPARIS -	Sectio	ns 1 & 11		
		NAMED I				& II.
	THUJ	A (Ar	hor	vitae	1	
- ELEGAN	TISSIMA. V	idorous. up-	B & B	2-21/2'	\$3.00	\$2.50
right, fo	ool proof	variety with	B & B	21/2-3'	3.50	2.75
high ligh	nts at the tips	s of branches	B&B	3-31/2' 31/2-4'	4.00	3.00
- GLOBOS	A. Dense,	ball-shaped	Dab	3 72-4	4.50	3.30
plant			R & R	15-18"	2.00	1.75
FLAT CDO	WAL THILLS	INEDC Con	CECTIC	NAL E	2.00	
FLAT GRO	ALUHT NW	LINERS — See	SECTIO	N I.	2.00	
FLAT GRO	T S U	LINERS — See GA (H	e m	on i. lock)	2.00	
	T S U	LINERS — See G A (H lanted — Bedd	e m	lock)		.12
— CANADI Hemlock	T S U Transp ENSIS. (Grace) Bushy, we	LINERS — See GA (H lanted — Bedd eful Canadian ell branched,	e m led — S S.B. S.B.	lock) eedlings 4-6"	.15 .20	.12
— CANADI Hemlock stocky p	T S U Transp ENSIS. (Grace .) Bushy, we lants. Excep	LINERS — See GA (H lanted — Beddeful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B.	ON I. lock) eedlings 4-6" 6-9" 9-12"	.15 .20	.16
- CANADI Hemlock stocky p fibrous	T S U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system.	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B.	ON I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18"	.15 .20 .25 .35	.16 .20 .30
- CANADI Hemlock stocky p fibrous r	TSU Transp ENSIS. (Grace .) Bushy, we lants. Excep root system	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B. S.B. S.B.	ON I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15"	.15 .20 .25 .35 .45	.16 .20 .30 .40 1.50
- CANADI Hemlock stocky p fibrous r	TSU Transp ENSIS. (Grace .) Bushy, we lants. Excep root system.	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B. S.B. S.B.	ON I. lock) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 15-18"	.15 .20 .25 .35 .45 1.75 2.40	.16 .20 .30 .40 1.50 2.00
- CANADI Hemlock stocky p fibrous r	T S U Transp ENSIS. (Grace.) Bushy, wellants. Excep root system	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B. B.B. B.B. B.	DN I. lock) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 21/2-3'	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40	.16 .20 .30 .40 1.50 2.00 2.50 4.50
- CANADI Hemlock stocky p fibrous r	TSU Transp ENSIS. (Grace.)) Bushy, w. lants. Excep root system. WN — Bushy	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B. S.B. B & B B B B B B B B B B B B B B B B	DN I. lock) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 12-15" 18-21" 21/2-3' 3-31/2'	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 6.60	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50
— CANADI Hemlock stocky p fibrous r	T S U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system.	GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — 5 S.B. S.B. S.B. S.B. S.B. B.	DN I. lock) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 21/2-3' 3-31/2' 3-1/2-4' 4-41/3'	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40	.16 .20 .30 .40 1.50 2.00 2.50 4.50
- CANADI Hemlock stocky p fibrous r	TS U Transp ENSIS. (Grace .) Bushy, wi lants. Excep root system. WWN — Bushy " " " "	LINERS — See GA (H lanted — Bedd ful Canadian ell branched, tional heavy,	e m (ed - s S.B. S.B. S.B. S.B. S.B. S.B. S.B. S.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 15-18" 12-15" 3-3-3'\2' 3-3-3'\2' 3-3-4' 4-4\2-5'	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 6.60 7.80 9.60 12.00	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00
- CANADI Hemlock stocky p fibrous r	T S U Transp ENSIS. (Grace.)) Bushy, w. lants. Excep root system. WN — Bushy "" "" NIANUM. Co	LINERS — See GA (H lanted — Bedd sful Canadian elional heavy,	e m led — S S.B. S.B. S.B. S.B. S.B. S.B. B & B B B B B B B B B B B B B B B B	DN I. lock) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 12-15" 18-21" 21/2-3' 3-31/2' 41/2-5' 6- 9"	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 6.60 7.80 9.60 12.00 .30	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " CAROLII green. I	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " " NIANUM. Cc Distinctive for	LINERS — See GA (H lanted — Bedd eful Canadian ell branched, tional heavy, , , , , , , , , , , , , , , , , , ,	ECTIC E M S.B. S.B. S.B. S.B. B.B. B.B. B.B.B. B.B.B.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-3/2' 3-3/2' 4-4/2-5' 6-9" 9-12" 12-15"	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 6.60 7.80 9.60 12.00	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " CAROLII green. I	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " " NIANUM. Cc Distinctive for	LINERS — See GA (H lanted — Bedd sful Canadian elional heavy,	ECTIC E M S.B. S.B. S.B. S.B. B.B. B.B. B.B.B. B.B.B.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-3/2' 3-3/2-4' 4-4/2-5' 6-9" 9-12" 12-15"	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 7.80 9.60 12.00 .30	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00 .25 .30
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " CAROLII green. I	TS U Transp ENSIS. (Grace .) Bushy, w. lants. Excep root system. WN — Bushy " " NIANUM. Co Distinctive for	LINERS — See GA (H lanted — Bedd eful Canadian ell branched, tional heavy, , , , , , , , , , , , , , , , , , ,	e m s s.B. s.B. s.B. s.B. s.B. s.B. s.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-31/2' 3-31/2' 4-41/2' 41/2-5' 6-9" 9-12" 12-15" GA.	.15 .20 .25 .35 .45 1.75 2.40 3.00 5.40 7.80 9.60 12.00 .30	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00 .25 .30
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " " " " " " " " " " "	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " " NIANUM. Cc Distinctive for LINERS — Se	LINERS — See GA (H lanted — Bedd eful Canadian ell branched, tional heavy,	e m led — s S.B. S.B. S.B. S.B. S.B. S.B. S.B. S.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-3/2' 3-3/2' 4-4/2-5' 6-9" 9-12" 12-15" GA. M 18-24"	.15 .20 .25 .35 .45 2.40 3.00 5.40 6.60 7.80 9.30 .36 .54	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00 .25 .30 .45
- CANADI Hemlock stocky p fibrous r FIELD GRO """" """ """ """ "CAROLII green. [HEMLOCK - BURKWO grant, pi	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " NIANUM. Co Distinctive for LINERS — Se DODI. Ever nk snowball	LINERS — See GA (H lanted — Bedd ful Canadian ell branched, tional heavy,	ed — S S.B. S.B. S.B. S.B. S.B. S.B. S.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 2½-3' 3-3½-4' 4-4½-5' 6-9" 9-12" 12-15" GA. M 18-24" 2-2½-2' 2½-3'	.15 .20 .25 .35 .45 2.40 3.00 5.40 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 1.50 2.00 2.50 4.50 5.50 6.50 8.00 10.00 .25 .30 .45
- CANADI Hemlock stocky p fibrous r FIELD GRO """" """ """ """ "CAROLII green. [HEMLOCK - BURKWO grant, pi	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " NIANUM. Co Distinctive for LINERS — Se DODI. Ever nk snowball	LINERS — See GA (H lanted — Bedd ful Canadian ell branched, tional heavy,	ed — S S.B. S.B. S.B. S.B. S.B. S.B. S.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 2½-3' 3-3½-4' 4-4½-5' 6-9" 9-12" 12-15" GA. M 18-24" 2-2½-2' 2½-3'	.15 .20 .25 .35 .45 2.40 3.00 5.40 6.60 7.80 9.30 .36 .54	.16 .20 .30 .40 1.50 2.00 2.50 4.50 6.50 8.00 10.00 .25 .30 .45
- CANADI Hemlock stocky p fibrous r FIELD GRO """" """ """ """ "CAROLII green. [HEMLOCK - BURKWO grant, pi	TS U Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " NIANUM. Co Distinctive for LINERS — Se DODI. Ever nk snowball	LINERS — See GA (H lanted — Bedd ful Canadian ell branched, tional heavy,	ed — S S.B. S.B. S.B. S.B. S.B. S.B. S.B.	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 2½-3' 3-3½-4' 4-4½-5' 6-9" 9-12" 12-15" GA. M 18-24" 2-2½-2' 2½-3'	.15 .20 .25 .35 .45 2.40 3.00 6.60 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 1.50 2.00 2.50 6.50 8.00 10.00 .25 .30 .45 2.50 3.00 3.75 2.25 2.50
- CANADI Hemlock stocky p fibrous r FIELD GRO "	TS U Transp ENSIS. (Grace .) Bushy, w. lants. Excep root system. WN — Bushy WIANUM. Co Distinctive for LINERS — Se DODI. Evel . Very fra in the Spring	DINERS — See GA (H lanted — Bedd ful Canadian ell branched, tional heavy, manual ever- bliage	ed — S.B. S.B. S.B. S.B. S.B. S.B. S.B. S.B.	DN I. l o c k) eedlings 4- 6" 6- 9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-31/2' 3-31/2' 4-41/2' 41/2-5' 6- 9" 9-12" 12-15" GA. M 18-24" 2-21/2' 22/2-3' 15-18" 18-24" 2-21/2' 2-21/2'	.15 .20 .25 .35 .45 1.75 2.40 6.60 7.80 9.60 12.00 .36 .54	.16 .20 .30 .40 1.50 2.50 4.50 5.50 6.50 6.50 6.50 3.00 .45
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " " " " " " " " " " "	TS U Transp Transp ENSIS. (Grace .) Bushy, we lants. Excep root system. WN — Bushy " " " NIANUM. Co Distinctive for LINERS — Se DODI. Ever nk snowball . Very fra in the Spring	LINERS — See GA (H lanted — Beddeful Canadian ell branched, tional heavy, tional heavy	ed — S S.B. S.B. S.B. S.B. S.B. S.B. B & B B B & B B B & B B B & B & B B & B & B B & B & B & B & B & B	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-3½ 3-3½ 3-3½ 4-4½ 4½ 5-6-9" 9-12" 12-15" GA. M 18-24" 2-2½ 21/2-3" 15-18" 18-24" 2-2½ 15-18"	.15 .20 .25 .35 .45 2.40 3.00 6.60 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 1.50 2.00 2.50 6.50 8.00 10.00 .25 .30 .45 2.50 3.00 3.75 2.25 2.50
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " " " " " " " " " " "	TS U Transp ENSIS. (Grace .) Bushy, w. lants. Excep root system. WN — Bushy WIANUM. Co Distinctive fo LINERS — Se OODI. Evel of the Spring wery fragran ellent for la	Compact ever- bliage	ed — S S.B. S.B. S.B. S.B. S.B. S.B. B & B B B & B B B & B B B & B & B B & B & B B & B & B & B & B & B	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 18-21" 2½-3' 3-3½-4' 4-4½-5' 6-9" 9-12" 12-15" GA. M 18-24" 2-2½-2' 15-18" 18-24" 2-2½-3' 15-18" 18-24" 12-15"	.15 .20 .25 .35 .40 3.00 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 1.50 2.50 4.50 5.50 8.00 10.00 .25 .30 .45 2.50 3.00 3.75 2.25 2.50 3.00 2.50
- CANADI Hemlock stocky p fibrous r FIELD GRO " " " " " " " " " " " " " " " " " " "	TSU Transp ENSIS. (Grace .) Bushy, w. lants. Excep root system. WN — Bushy WIANUM. Cc Distinctive for LINERS — Se NOODI. Ever nk snowball . Very fragran ellent for le DOPHYLLUM. Doly leaves:	Compact ever- bliage for fra- compact ever- bliage fra- co	ed — S S.B. S.B. S.B. S.B. S.B. S.B. B & B B B & B B B & B B B & B & B B & B & B B & B & B & B & B & B	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 3-3½ 3-3½ 3-3½ 4-4½ 4½ 5-6-9" 9-12" 12-15" GA. M 18-24" 2-2½ 21/2-3" 15-18" 18-24" 2-2½ 15-18"	.15 .20 .25 .35 .45 2.40 3.00 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 .1.50 .2.50 .4.50 .5.50 .8.00 .10.00 .25 .30 .45 .2.50 .3.00 .25 .2.50 .3.00 .2.55 .2.50 .3.00 .2.55 .5.50 .3.00 .2.55 .5.50 .3.00 .2.55 .3.00 .2.55
- CANADI Hemlock stocky p fibrous ' FIELD GRO " " " " " " " " " " " " " " " " " " "	TS U Transp ENSIS. (Grace .) Bushy, w. lants. Excep root system. WN — Bushy W	Compact ever- bliage	ECTIC PROPERTY OF THE PROPERTY	DN I. lock) eedlings 4-6" 6-9" 9-12" 12-15" 15-18" 12-15" 15-18" 14-41/2' 41/2-5' 6-9" 9-12" 12-15" GA. M 18-24" 2-21/2' 22/2-3' 15-18" 18-24" 12-15" 18-24" 12-15" 18-24" 12-15" 18-24"	.15 .20 .25 .35 .45 2.40 3.00 7.80 9.60 12.00 .30 .36 .54	.16 .20 .30 .40 .1.50 .2.50 .4.50 .5.50 .8.00 .10.00 .25 .30 .45 .2.50 .3.00 .25 .2.50 .3.00 .2.55 .2.50 .3.00 .2.55 .5.50 .3.00 .2.55 .5.50 .3.00 .2.55 .3.00 .2.55

RHODODENDRON Named Hybrids

(OWN ROOT)

BED GROWN — NOT SHADED
(Flower Buds — 3 or more — ADD 20% to List Price.)

Many nurserymen are not equipped or inclined to bed out small liners from greenhouses. Upon popular demand we have bedded some of our excellent, **OWN ROOT** Rhododendron — True to Name — Hybrids.

THESE PLANTS were grown with special care and expert supervision.

— are free of insect and disease damage — are strong, well branched, bushy stock with ample root supply — are on OWN ROOTS — no suckering or weakness resulting from grafting.

THESE PLANTS can be used for landscape or sales to home owners.

Can be planted in 3 ft. rows, 2 ft. apart assuring a nice supply of saleable Rhododendron Named Hybrids.

WE OFFER THE FOLLOWING: Balled & Burlaped

WE OFFER THE POLLOWING:	Daneu or	portaped	
		EA	CH
(SIZES REFER TO HEIGHT)	B. & B.	Per 10	Per 100
ALBUM ELEGANS. Upright type - good	8-10"	\$1.50	\$1.25
foliage - Lovely white flowers	10-12"	2.10	1.75
tenage zeret, thine herrer	12-15"	2.70	2.25
	15-18"	3.30	2.75
	18-21"	3.90	3.25
ALBUM GRANDIFLORUM. Large plant.	1021	0.70	0,20
Good foliage. Opens blush, turns	8-10"	1.75	1.50
white.	10-12"	2.40	2.00
ALBUM NOVUM. Opens pale lavender	8-10"	1.75	1.50
then turns white. Lovely foliage.	10-12"	2.40	2.00
AMERICA. Considered the best hardy red	8.10"	2.40	2.00
today; spreading habit	10-12"	3.00	2.50
CARACTACUS. Old standby; Crimson	8-10"	2.10	1.75
flowers. Habit excellent.	10-12"	2.70	2.25
	12-15"	3.30	2.75
	15-18"	3.90	3.25
CATAWBIENSE ALBUM. Proven the best	8-10"	2.40	2.00
all-around hardy white.	10-12"	3.00	2.50
CHARLES BAGLEY. Lovely large trusses	8-10"	2.10	1.75
of rose-red. Spreading habit.	10-12"	2.70	2.25
	10-12	2.70	2.20
CUNNINGHAM WHITE. Dense, compact	0.104		
plant. Early white.	8-10"	2.10	1.75
DR. RUTGERS. Top-rate recent introduc-			
tion. Broad, dense plant with red			
flowers.	8-10"	2.40	2.00
FASTUOSUM fl. pl. Pale lavender-purple	8-10"	2.10	1.75
flower; inclination to double up.	10-12"	2.70	2.25
GIGANTEUM. A rose-red variety of vig-	8-10"	2.10	1.75
orous habit.	10-12"	2.70	2.25
F. D. GODMAN. Deep red effect caused	8-10"	\$2,40	\$2.00
by dark pattern on upper lobe of flow-	10-12"	3.00	2.50
	10-12	3.00	2.50
er.			
IGNATIUS SARGENT. Individual flowers,	8-10"	2.40	2.00
very large; light red with paler throat.	10-12"	3.00	2.50
KATE WATERER. Beautiful red with a	12-15"	3.30	2.75
prominent golden throat.	15-18"	3.90	3.25
LEE'S DARK PURPLE. Large, purple trus-	8-10"	2.10	1.75
ses backed by dark wavy foliage.	10-12"	2.70	2.25
ses bucked by dark wavy lollage.	12-15"	3.30	2.75
	15-18"	3.90	3.25
MADAME MASSON. Tall white trusses	13-10	3.90	3.23
with a prominent golden-yellow eye.	8-10"	2.10	1.75
will a prominent golden-yellow eye.	0-10	2.10	1./3

(Flower Buds — 3 or more ADD 20% to	o List Price) EA	CH
(SIZES REFER TO HEIGHT)	B. & B.	Per 10	Per 100
MIDSUMMER. Very late blooming varie-	10-12"	2.70	2.25
ty; deep pink with ochre throat.	12-15"	3.30	2.75
,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	15-18"	3.90	3.25
MINNIE. Blush white; orange pattern	8-10"	2.10	1.75
wille, crange panern	10-12"	2.70	2.25
MRS. P. DEN OUDEN. Dense compact,	8-10"	2.70	2.25
smothered with aniline red flowers.	10-12"	3.30	
smomered with anime red nowers.	10-12		2.75
PARSONS GLORIOSUM. Profuse bloom-	12-15"	3.90	3.25
	12-15"	3.00	2.50
er; lavender-pink. Healthy, vigorous	15-18"	3.60	3.00
plant.	18-21"	4.20	3.50
PURPUREUM ELEGANS. Good hardy pur-	8-10"	1.80	1.50
ple; excels for foliage and plant habit.	10-12"	2.40	2.00
ROSEUM ELEGANS. For BEST all-around	8-10"	1.50	1.25
landscape use. Dense plant, covered with good-size trusses of mauve pink.	10-12"	2.10	1.75
with good-size trusses of mauve pink.	12-15"	2.70	2.25
	15-18"	3.30	2.75
	18-21"	3.90	3.25
ROSEUM PINK. A select form of Roseum	8-10"	1.80	1.50
Elegans, having the same good plant	10-12"	2.40	2.00
habit with Ige. trusses of clear pink	12-15"	3.00	2.50
flowers.	15-18"	3.60	3.00
	18-21"	4.20	3.50
ROSEUM SUPERBUM. Clear, soft pink;	8-10"	1.80	1.50
late bloomer.	10-12"	2.40	2.00
	12-15"	3.00	2.50
ROSLYN. Lovely trusses of lavender-blue	8-10"	2.10	1.75
with white stamens.	10-12"	2.70	2.25
SAPPHO. White with maroon blotch.	8-10"	1.80	1.50
The state of the s	10-12"	2.40	2.00
	12-15"	3.00	2.50
STELLA WATERER. Soft pink with crimson	8-10"	1.80	1.50
blotch.	10-12"	2.40	2.00
VAN WEERDEN POELMANN. An aniline	10-12	2.40	2.00
red variety with interesting wavy fo-	0.10//	0.40	0.00
liage.	8-10"	2.40	2.00
	10-12"	3.00	2.50
FLOWER BUDS 3 OR MORE, ADD 20%	IO ABOVI	E LIST PK	ICES.
For equitable distribution of the above p 25% of total Rhododendron order.	lants, REDS	are lim	ited to
25 % of lotal knododendron order.			
RHODODENDRON	CRO	SSE	ς
			_
BED GROWN - NOT	SHADEL	,	
(Flower Buds — 3 or more ADD 20			
CATAWBIENSE HYBRID CROSSES. Good	12-15"	\$2.10	\$1.75
percentage Red.	15-18"	2.70	2.25
DEXTER HYBRID CROSSES. Good clear	8-10"	1.50	1.25
Pink. (Some Red).	10-12"	1.80	1.50
	12-15"	2.40	2.00
	15-18"	3.00	2.50
RHODODEND			
CMAIL LEAVED VARIETIES	K O N		
SMALL LEAVED VARIETIES	and NO	VELTIE	5
With Flower Bu	ıds		
CAROLINIANUM. Good pink S.B.	9-12"	.90	.75
PURPLE GEM. Dwarf; intense purple.	8-10" sp	d. 2.10	
	10-12" sp	d. 2.40	
RAMAPO. Very desirable for base			
planting. Always sure to furnish			
countless orchid colored flowers.	8-10" sp	d. 2.10	1.75
Dense habit of growth.	10-12" sp		
WILSONI. Excellent, compact plant hab-	ap	2.40	2.00
it ideal for rock gardens or foun-	6- 8" sp	d. 1.80	1.50
dation planting; flowers pink.	8-10" sp	d. 2.10	
WINDBEAM. Lovely shade of delicate	o io sp	a. 2.10	1./5
pink; multiple trusses, smothering	8-10" sp	d. 2.10	1.75
the whole plant when in bloom	10-10 sp	d. 2.10	
Foliage and plant habit are excellent.	10-12" sp 12-15" sp	d. 2.40 d. 2.70	2.00
SEE FIELD GROWN BUDDED RHC	DODEN	DPCNI	2.25
FOLLOWING PA	PODEN	DKON:	ON
FOILUMING DA	E air See		

Landscape Size Rhododendrons Named Hybrids

Bushy — Own Root — Strong — Well Branched Stock With FLOWER BUDS

BALLED & BURLAPPED		EACH
(Sizes Refer To Height)	B. & B.	Per 10
ALBUM GRANDIFLORUM. Large plant. Good foliage. Opens blush, turns white.	21/2-3'	\$7.50
ALBUM NOVUM. Opens pale lavender then turns white. Lovely foliage.	2-21/2' 21/2-3'	6.75 7.50
AMERICA. Considered the best hardy red today;	15-18"	5.50
spreading habit.	18-21" 21-24"	6.50 7.50
ATROSANGUINEA. Ironclad Red; good foliage	15-18"	5.50
and plant habit.	18-21" 21-24"	6.50 7.50
CARACTACUS. An old standby with flowers of	15-18"	5.00
crimson. Habit of plant is excellent.	18-21" 21-24"	6.00 7.00
CATALGLA (Glass Hybrids). Pink White and Rose	15-18"	3.00
shades.	18-21"	4.00
	21-24"	5.00
	21/2-3'	7.00
CATAWBIENSE ALBUM. Proven the best all-	18-21"	5.50
around hardy white.	21-24"	6.50
CATAWBIENSE GRANDIFLORUM. One of the best for foliage. Flowers are rosy-purple. Prolific		
bloomer.	2-21/2*	6.75
DR. RUTGERS. Top-rate recent introduction. Broad,	15-18"	5.50
dense plant with red flowers.	18-21"	6.50
and the second of the second o	21-24"	7.50
FASTUOSUM fl pl. Pale lavender-purple flower; inclination to double up.	2-21/2'	7.50
KATE WATERER. Beautiful red with a prominent golden throat.	18-21" 21-24"	6.00 7.00
MAD. MASSON. Tall white trusses with a prom-	15-18"	5.00
inent golden-yellow eye.	18-21"	6.00
MAD. de BRUIN. Brilliant red; interesting wavy	10.15#	*1.50
foliage.	12-15"	\$4.50
PRINCE CAM. de ROHAN. Large blush flowers with carmine spots and dark throat.	12-15" 15-18"	4.00 5.00
PURPUREUM ELEGANS. Good hardy purple; excels	2-21/2'	6.75
for foliage and plant habit.	21/2-3'	7.50
ROSEUM ELEGANS. The BEST all-around land-	15-18"	4.00
scape plant. Forms dense plant covered with	18-21"	5.00
good sized trusses of mauve pink. (2½-4' Bushy Specimen plants prices on appli-	21-24"	6.00
cation).	0 . 01//	
ROSEUM PINK. A select form of Roseum Elegans, having the same good plant habit with large	3 x 21/2'	
trusses of Clear PINK flowers. Prices on application.	4 x 31/2'	
ROSEUM SUPERBUM. Clear, soft pink; late bloom-		8.00
er. ROSLYN. Lovely trusses of lavender-blue with	3-3½' 15-18"	10.00
white stamens.	18-21"	7.50
For equitable distribution of the above plants RE	DS are lim	ited to
10% of total Rhododendron order.		